

SAFETY DATA SHEET

LIQUITEX GLOSS HEAVY GEL MEDIUM (AUSTRALIA)

According to the National Code of Practice for the Preparation of Material Safety Data Sheets 2nd Edition
[NOHSC:2011(2003)]

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name LIQUITEX GLOSS HEAVY GEL MEDIUM (AUSTRALIA)

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Medium for Acrylic Painting

1.3. Details of the supplier of the safety data sheet

Supplier Jasco Pty Ltd.
1-5 Commercial Road,
Kingsgrove
NSW 2208
02 9807 1555

Contact person Regulatory Manager

Manufacturer ColArt International SA
5 Rue René Panhard
Z.I .Nord
72021 Le Mans Cedex 2
France
+33 2 43 83 83 00

1.4. Emergency telephone number

Emergency telephone Australian poisons centre - 13 11 26

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification

Physical hazards Not Classified

Health hazards Not Classified

Environmental hazards Not Classified

2.2. Label elements

Hazard statements NC Not Classified

2.3. Other hazards

SECTION 3: Composition/information on ingredients

3.2. Mixtures

mono propylene glycol			1-5%
CAS number: 57-55-6	EC number: 200-338-0	REACH registration number: 01-2119456809-23-xxxx	
Classification Not Classified	Classification (67/548/EEC or 1999/45/EC) -		

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

Composition comments Any hazardous ingredients are below classification limit.

LIQUITEX GLOSS HEAVY GEL MEDIUM (AUSTRALIA)

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move affected person to fresh air at once.
Ingestion	Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly with water. Give plenty of water to drink. Get medical attention.
Skin contact	Remove affected person from source of contamination. Get medical attention if irritation persists after washing.
Eye contact	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

4.2. Most important symptoms and effects, both acute and delayed

4.3. Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

5.2. Special hazards arising from the substance or mixture

5.3. Advice for firefighters

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.2. Environmental precautions

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water.

6.4. Reference to other sections

SECTION 7: Handling and storage

7.1. Precautions for safe handling

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Keep only in the original container. Store at moderate temperatures in dry, well ventilated area.

7.3. Specific end use(s)

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

Occupational exposure limits

mono propylene glycol

Long-term exposure limit (8-hour TWA): WEL 150 ppm 474 mg/m³ total vapour and particulates

Long-term exposure limit (8-hour TWA): WEL 10 mg/m³ particulate

POTASSIUM HYDROXIDE

Long-term exposure limit (8-hour TWA): OES

Short-term exposure limit (15-minute): OES 2 mg/m³

WEL = Workplace Exposure Limit

8.2. Exposure controls

LIQUITEX GLOSS HEAVY GEL MEDIUM (AUSTRALIA)

Appropriate engineering controls	No specific ventilation requirements.
Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles or face shield.
Hand protection	Hand protection not required.
Hygiene measures	Use appropriate skin cream to prevent drying of skin. Wash hands at the end of each work shift and before eating, smoking and using the toilet. When using do not eat, drink or smoke.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Appearance	Coloured gel.
Colour	White.
Odour	No characteristic odour.
pH	pH (concentrated solution): 8-9
Initial boiling point and range	>100°C @ 760 mm Hg
Relative density	1.2 @ 20°C
Solubility(ies)	Miscible with water

9.2. Other information

SECTION 10: Stability and reactivity

10.1. Reactivity

10.2. Chemical stability

Stability	No particular stability concerns.
------------------	-----------------------------------

10.3. Possibility of hazardous reactions

10.4. Conditions to avoid

Conditions to avoid	Avoid excessive heat for prolonged periods of time.
----------------------------	---

10.5. Incompatible materials

10.6. Hazardous decomposition products

Hazardous decomposition products	Carbon monoxide (CO). Carbon dioxide (CO ₂).
---	--

SECTION 11: Toxicological information

11.1. Information on toxicological effects

General information	This product has low toxicity. Only large quantities are likely to have adverse effects on human health.
Ingestion	May cause discomfort if swallowed.
Skin contact	Slightly irritating.
Eye contact	Irritating to eyes.

SECTION 12: Ecological Information

LIQUITEX GLOSS HEAVY GEL MEDIUM (AUSTRALIA)

Ecotoxicity Not regarded as dangerous for the environment.

12.1. Toxicity

12.2. Persistence and degradability

12.3. Bioaccumulative potential

12.4. Mobility in soil

12.5. Results of PBT and vPvB assessment

12.6. Other adverse effects

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

SECTION 14: Transport information

General Not regulated.

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

14.5. Environmental hazards

14.6. Special precautions for user

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical safety assessment

SECTION 16: Other information

General information	EMERGENCY CONTACTS
	Jasco Pty Ltd 02 9807 1555
	Jasco Pty Ltd - Emergency number 13 11 26
	Police and Fire Brigade 000
	Poisons information centre 13 11 26

Pleased read instructions / label before using product.

This SDS is prepared in accordance with the Safe Work Australia document "National Code of Practice for the Preparation of Material Safety Data Sheets" 2nd Edition [NOHSC:2011(2003)]

Revision date 29/02/2016

Revision 8

Supersedes date 09/12/2014

SDS number 22709

Risk phrases in full Not classified.
R22 Harmful if swallowed.
R35 Causes severe burns.

LIQUITEX GLOSS HEAVY GEL MEDIUM (AUSTRALIA)

The inclusion of EUH208 is supplemental information taken over from DSD/DPD, it is applicable to CLP and not generalised for GHS; EUH208 therefore only applies in the EU at the time of application. The information contained in this Safety Data Sheet is provided in good faith and is believed to be accurate at the date of issuance. Jasco Pty Ltd makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for loss or damage related to the supply or use of the information in this Safety Data Sheet. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.