# SAFETY DATA SHEET



### 1. Identification

**Product identifier** Galkyd Gel, Neo Megilp

Other means of identification None.

Recommended use Mixing agent for artist's oil colors. **Recommended restrictions** Keep out of reach of children.

Manufacturer/Importer/Supplier/Distributor information Gamblin Artists Colors Manufacturer/Supplier

> 2734 SE Raymond St. Portland, OR 97202

USA

Telephone number +1 503-235-1945

Website www.gamblincolors.com

**Emergency Telephone** 

Number

For Chemical Emergency ONLY, call:

+1 503-235-1945

# 2. Hazard(s) identification

Physical hazards Not classified. **Health hazards** Not classified. **OSHA** defined hazards Not classified.

Label elements

None. **Hazard symbol** Signal word None.

**Hazard statement** The mixture does not meet the criteria for classification.

**Precautionary statement** 

Prevention Observe good industrial hygiene practices.

Response Wash hands after handling.

Store away from incompatible materials. Storage

**Disposal** Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

# 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	CAS number	<b>%</b> 45 - 55	
Alkyd Resin	Proprietary		
Petroleum Naptha	64742-48-9	40 - 60	
Silica, amorphous, fumed, crystfree	112945-52-5 3 -		
Propylene Glycol	57-55-6	1 - 3	

### 4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Rinse with water. Get medical attention if irritation develops and persists. Eye contact

Galkyd Gel, Neo Megilp

Rinse mouth. Get medical attention if symptoms occur. Ingestion Direct contact with eyes may cause temporary irritation.

Most important symptoms/effects, acute and

delayed

Indication of immediate medical attention and special treatment needed

Treat symptomatically.

**General information** 

Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Alcohol resistant foam. Powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions

Move containers from fire area if you can do so without risk.

Specific methods General fire hazards

Use standard firefighting procedures and consider the hazards of other involved materials.

No unusual fire or explosion hazards noted. The product is combustible.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Use water spray to reduce vapors or divert vapor cloud drift.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

**Environmental precautions** 

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Avoid prolonged exposure. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store in tightly closed container. Store away from incompatible materials (see Section 10 of the

SDS).

### 8. Exposure controls/personal protection

### Occupational exposure limits

US. OSHA Table Z-3 (29 CFR 1910.1000)

Components	Туре	Value	
Silica, amorphous, fumed, crystfree (CAS 112945-52-5)	TWA	0.8 mg/m3	
		20 mppcf	
US. NIOSH: Pocket Guide to Cher	mical Hazards		
Components	Type	Value	
Silica, amorphous, fumed, crystfree (CAS 112945-52-5)	TWA	6 mg/m3	

Galkyd Gel, Neo Megilp SDS US

US. Workplace Environmental Exposure Level (WEEL) Guides

**Form** Components Value Type Propylene Glycol (CAS TWA 10 mg/m3 Aerosol.

**Biological limit values** No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

57-55-6)

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear protective gloves.

Skin protection

Other Wear appropriate chemical resistant clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Wear appropriate thermal protective clothing, when necessary. Thermal hazards

Always observe good personal hygiene measures, such as washing after handling the material General hygiene and before eating, drinking, and/or smoking. Routinely wash work clothing and protective considerations equipment to remove contaminants.

### 9. Physical and chemical properties

**Appearance** 

**Physical state** Liquid. Liquid Gel **Form** Color Amber.

Odor Characteristic hydrocarbon.

**Odor threshold** Not available. Not available. pН Melting point/freezing point Not available.

Initial boiling point and boiling

range

318 - 390 °F (158.89 - 198.89 °C)

> 158.0 °F (> 70.0 °C) Pensky-Martens Closed Cup Flash point

0.2 **Evaporation rate** 

Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

(%)

**Explosive limit - lower (%)** Not available. Not available. Explosive limit - upper (%)

< 0.1 kPa @ 68°F (20°C) Vapor pressure

Vapor density

Relative density Not available.

Solubility(ies)

Solubility (water) Negligible. Partition coefficient Not available.

(n-octanol/water)

446 °F (230 °C) **Auto-ignition temperature** Not available. **Decomposition temperature Viscosity** Thixotropic gel.

Galkyd Gel, Neo Megilp SDS US

Other information

Not explosive. **Explosive properties Oxidizing properties** Not oxidizing.

# 10. Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. Reactivity

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Avoid temperatures exceeding the flash point. Contact with incompatible materials. Conditions to avoid

Incompatible materials Chlorine. Fluorine. Strong oxidizers.

**Hazardous decomposition** 

products

No hazardous decomposition products are known.

# 11. Toxicological information

# Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact Prolonged skin contact may cause temporary irritation. Eye contact Direct contact with eyes may cause temporary irritation.

May cause discomfort if swallowed. Ingestion

Symptoms related to the physical, chemical and toxicological characteristics Exposure may cause temporary irritation, redness, or discomfort.

### Information on toxicological effects

#### Acute toxicity

Components **Species Test Results** 

Petroleum Naptha (CAS 64742-48-9)

Acute **Dermal** 

Liquid

LD50 Rabbit > 5000 mg/kg

Inhalation

Vapor

Rat LC50 > 5000 mg/m<sup>3</sup>, 4 hr

Oral Liquid

LD50 Rat > 5000 mg/kg

Propylene Glycol (CAS 57-55-6)

**Acute** 

**Dermal** 

LD50 Rabbit 20800 mg/kg

Oral

LD50 Rat 22000 mg/kg

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation. Direct contact with eyes may cause temporary irritation. Serious eye damage/eye

irritation

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

No data available to indicate product or any components present at greater than 0.1% are Germ cell mutagenicity

mutagenic or genotoxic.

Not classifiable as to carcinogenicity to humans. Carcinogenicity

Galkyd Gel, Neo Megilp SDS US 4/7

### IARC Monographs. Overall Evaluation of Carcinogenicity

Petroleum Naptha (CAS 64742-48-9) 3 Not classifiable as to carcinogenicity to humans.

Silica, amorphous, fumed, cryst.-free (CAS 112945-52-5) 3 Not classifiable as to carcinogenicity to humans.

#### **NTP Report on Carcinogens**

Not listed.

### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Reproductive toxicity

This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard

Not an aspiration hazard.

**Chronic effects** Prolonged inhalation may be harmful.

# 12. Ecological information

**Ecotoxicity** 

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components		Species	Test Results
Petroleum Naptha (CA	AS 64742-48-9)		
Aquatic			
Acute			
Algae	EL0	Pseudokirchnerella subcapitata	1000 mg/l, 72 hr
	NOELR	Pseudokirchnerella subcapitata	1000 mg/l, 72 hr
Crustacea	EL0	Daphnia magna	1000 mg/l, 48 hr
Fish	LL0	Oncorhynchus mykiss	1000 mg/l, 96 hr
Chronic			
Crustacea	NOELR	Daphnia magna	1 mg/l, 21 d
Propylene Glycol (CAS	S 57-55-6)		
Aquatic			
Acute			
Algae	EC50	Selenastrum capricornutum	19000 mg/l, 72 hours
Crustacea	LC50	Ceriodaphnia	18340 mg/l, 48 hours
Fish	LC50	Pimephales promelas	46500 mg/l, 96 hours

Persistence and degradability

No data is available on the degradability of any ingredients in the mixture.

Bioaccumulative potential

**Mobility in soil** The product is insoluble in water.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

# 13. Disposal considerations

**Disposal instructions**Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

**Local disposal regulations** Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal

instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

# 14. Transport information

DOT

Not regulated as dangerous goods.

Galkyd Gel, Neo Megilp

SDS US

#### IATA

Not regulated as dangerous goods.

#### **IMDG**

Not regulated as dangerous goods.

Transport in bulk according to Not established. Annex II of MARPOL 73/78 and

the IBC Code

### 15. Regulatory information

**US** federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed

**Toxic Substances Control Act (TSCA)** 

All components of the mixture on the TSCA 8(b) inventory are designated "active".

### Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous Yes

chemical

SARA 313 (TRI reporting)

Not regulated.

### Other federal regulations

### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

#### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

**Safe Drinking Water Act** 

Not regulated.

(SDWA)

#### **US** state regulations

### **US. Massachusetts RTK - Substance List**

Silica, amorphous, fumed, cryst.-free (CAS 112945-52-5)

## US. New Jersey Worker and Community Right-to-Know Act

Propylene Glycol (CAS 57-55-6)

### US. Pennsylvania Worker and Community Right-to-Know Law

Petroleum Naptha (CAS 64742-48-9)

Propylene Glycol (CAS 57-55-6)

Silica, amorphous, fumed, cryst.-free (CAS 112945-52-5)

## **US. Rhode Island RTK**

Propylene Glycol (CAS 57-55-6)

#### **California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

# US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Petroleum Naptha (CAS 64742-48-9)

Galkyd Gel, Neo Megilp SDS US

#### **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes

(PICCS)

Taiwan Taiwan Chemical Substance Inventory (TCSI) Yes United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory Yes

# 16. Other information, including date of preparation or last revision

22-September-2020 Issue date

03-May-2023 **Revision date** 

Version # 04

**HMIS®** ratings Health: 1

Flammability: 1 Physical hazard: 0

NFPA ratings



EC50: Effective Concentration, 50%. List of abbreviations

LC50: Lethal Concentration, 50%.

LD50: Lethal Dose, 50%.

STEL: Short-Term Exposure Limit. TWA: Time Weighted Average Value.

EL0: Effective level, 0%.

IC50: Inhibitory concentration, 50%.

LL0: Lethal level, 0%.

NOELR: No Observed Effect Loading Rate

**Disclaimer** The information in this Safety Data Sheet has been obtained from current and reliable sources.

However, the data is provided without warranty, express or implied, regarding its correctness or accuracy. It is the user's responsibility to determine safe conditions for use of this product and to assume liability for loss injury, damage, or expense resulting from improper use of this product.

Galkyd Gel, Neo Megilp SDS US

<sup>\*</sup>A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).