Camplin

SAFETY DATA SHEET

1. Identification

Product identifier	Galkyd		
Other means of identification	None.		
Recommended use	Mixing agent for artist's oil colors.		
Recommended restrictions	Keep out of reach of children.		
Manufacturer/Importer/Supplier	/Distributor information		
Manufacturer/Supplier	Gamblin Artists Colors		
	2734 SE Raymond St.		
	Portland, OR 97202		
	USA		
Telephone number	+1 503-235-1945		
Website	www.gamblincolors.com		
Emergency Telephone Number	For Chemical Emergency ONLY, call:		
	+1 503-235-1945		
2. Hazard(s) identification			
Physical hazards	Flammable liquids	Category 4	
Health hazards	Not classified.		
OSHA defined hazards	Not classified.		
Label elements			
Hazard symbol	None.		
Signal word	Warning		
Hazard statement	Combustible liquid.		
Precautionary statement			
Prevention	Keep away from flames and hot surfaces N clothing/eye protection/face protection.	o smoking. Wear protective gloves/protective	
Response	In case of fire: Use appropriate media to extin	guish.	
Storage	Store in a well-ventilated place. Keep cool.		
Disposal	Dispose of waste and residues in accordance	with local authority requirements.	
Hazard(s) not otherwise classified (HNOC)	None known.		
Supplemental information	None.		

3. Composition/information on ingredients

Mixtures

Chemical name	CAS number	%
Alkyd Resin	Proprietary	40 - 60
Petroleum Naptha	64742-48-9	40 - 60

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.	
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically.	
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.	
5. Fire-fighting measures		
Suitable extinguishing media	Water fog. Alcohol resistant foam. Dry chemical powder. Carbon dioxide (CO2).	
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.	
Specific hazards arising from the chemical	The product is combustible, and heating may generate vapors which may form explosive vapor/air mixtures. During fire, gases hazardous to health may be formed.	
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.	
Fire fighting equipment/instructions	In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.	
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.	
General fire hazards	Combustible liquid.	
C Assidental valesse mes		
6. Accidental release mea	sures	
6. Accidental release mean Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.	
Personal precautions, protective equipment and	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section	
Personal precautions, protective equipment and emergency procedures Methods and materials for	 Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS. Use water spray to reduce vapors or divert vapor cloud drift. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) 	
Personal precautions, protective equipment and emergency procedures Methods and materials for	 Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS. Use water spray to reduce vapors or divert vapor cloud drift. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product 	
Personal precautions, protective equipment and emergency procedures Methods and materials for	 Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS. Use water spray to reduce vapors or divert vapor cloud drift. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water. Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers 	
Personal precautions, protective equipment and emergency procedures Methods and materials for	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS. Use water spray to reduce vapors or divert vapor cloud drift. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water. Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Clean surface thoroughly to remove residual contamination.	
Personal precautions, protective equipment and emergency procedures Methods and materials for containment and cleaning up	 Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS. Use water spray to reduce vapors or divert vapor cloud drift. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water. Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Clean surface thoroughly to remove residual contamination. Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. 	

Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.
 Conditions for safe storage, including any incompatibilities
 Keep away from heat, sparks and open flame. Store in a cool, dry place out of direct sunlight. Store in tightly closed container. Store in a well-ventilated place. Keep in an area equipped with

sprinklers. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits	No exposure limits noted for ingredient(s).	
Biological limit values	No biological exposure limits noted for the ingredient(s).	
Appropriate engineering controls Good general ventilation should be used. Ventilation rates should be matched to applicable, use process enclosures, local exhaust ventilation, or other engineerin maintain airborne levels below recommended exposure limits. If exposure limits established, maintain airborne levels to an acceptable level.		
Individual protection measures, s	such as personal protective equipment	
Eye/face protection	Wear safety glasses with side shields (or goggles).	
Skin protection		
Hand protection	Wear protective gloves.	

Skin protection		
Other	Wear appropriate chemical resistant clothing.	
Respiratory protection	If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.	
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.	
General hygiene considerations	When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.	

9. Physical and chemical properties

Appearance	
Physical state	Liquid.
Form	Liquid.
Color	Amber.
Odor	Characteristic hydrocarbon.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	158.0 °F (70.0 °C) Pensky-Martens Closed Cup
Evaporation rate	<1
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	< 0.1 kPa @ 68°F (20°C)
Vapor density	5
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Negligible.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	446 °F (230 °C)
Decomposition temperature	Not available.
Viscosity	160.8 mm²/s
Viscosity temperature	104 °F (40 °C)
Other information	
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
10. Stability and reactivity	
Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong ovidizing agonte

Incompatible materials Strong oxidizing agents.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.
Skin contact	Prolonged skin contact may cause temporary irritation.
Eye contact	Direct contact with eyes may cause temporary irritation.
Ingestion	May cause discomfort if swallowed.
Symptoms related to the physical, chemical and toxicological characteristics	Exposure may cause temporary irritation, redness, or discomfort.

Information on toxicological effects

Acute toxicity

Components	Species	Test Results	
Petroleum Naptha (CAS 64742-48	9-9)		
<u>Acute</u>			
Dermal			
Liquid	5		
LD50	Rabbit	> 5000 mg/kg	
Inhalation			
Vapor LC50	Rat	5000 mg/m3 4 hr	
	Nai	> 5000 mg/m³, 4 hr	
Oral Liquid			
LD50	Rat	> 5000 mg/kg	
Skin corrosion/irritation			
Serious eye damage/eye	-	y cause temporary irritation. ay cause temporary irritation.	
irritation	Direct contact with eyes ma		
Respiratory or skin sensitization	ı		
Respiratory sensitization	Not a respiratory sensitizer		
Skin sensitization	This product is not expecte	d to cause skin sensitization.	
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Carcinogenicity	Not classifiable as to carcinogenicity to humans.		
IARC Monographs. Overall	Evaluation of Carcinogenic	ity	
Petroleum Naptha (CAS NTP Report on Carcinogens	,	3 Not classifiable as to carcinogenicity to humans.	
Not listed.			
OSHA Specifically Regulate	d Substances (29 CFR 191)	0.1001-1053)	
Not listed.	This was duet is wet some sta	d to serve we we do the served and served at the state	
Reproductive toxicity		d to cause reproductive or developmental effects.	
Specific target organ toxicity - single exposure	Not classified.		
Specific target organ toxicity - repeated exposure	Not classified.		
Aspiration hazard	Not an aspiration hazard.		
12. Ecological information	1		
Ecotoxicity		d as environmentally hazardous. However, this does not exclude the uent spills can have a harmful or damaging effect on the environment.	

Components		Species	Test Results
Petroleum Naptha (CAS 647	(42-48-9)		
Aquatic			
Acute			
Algae	EL0	Pseudokirchnerella subcapitata	1000 mg/l, 72 hr
	NOELR	Pseudokirchnerella subcapitata	1000 mg/l, 72 hr
Crustacea	EL0	Daphnia magna	1000 mg/l, 48 hr
Fish	LL0	Oncorhynchus mykiss	1000 mg/l, 96 hr
Chronic			
Crustacea	NOELR	Daphnia magna	1 mg/l, 21 d
Persistence and degradability	y No data is available on the degradability of any ingredients in the mixture.		
Bioaccumulative potential	No data available.		
Mobility in soil	The product is insoluble in water.		
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.		
13. Disposal consideration	ons		
Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.		
Local disposal regulations	Dispose in accordance with all applicable regulations.		

Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not established. Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

disposal.

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Toxic Substances Control Act (TSCA)

All components of the mixture on the TSCA 8(b) inventory are designated "active".

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

	RA 311/312 Hazardous emical	Yes
	Classified hazard categories	Flammable (gases, aerosols, liquids, or solids)
SA	RA 313 (TRI reporting) Not regulated.	
Other fe	ederal regulations	
Cle	an Air Act (CAA) Section	112 Hazardous Air Pollutants (HAPs) List
Cle	Not regulated. an Air Act (CAA) Section	112(r) Accidental Release Prevention (40 CFR 68.130)
	Not regulated.	
	e Drinking Water Act WA)	Not regulated.
US stat	e regulations	
US	. Massachusetts RTK - Su	bstance List
US	Not regulated. New Jersey Worker and Not listed.	Community Right-to-Know Act
US	. Pennsylvania Worker an	d Community Right-to-Know Law
US	Petroleum Naptha (CAS 6 . Rhode Island RTK	4742-48-9)
	Not regulated.	
Cal	is not known to contain an more information go to ww	
	US. California. Candidate subd. (a))	e Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3,

Petroleum Naptha (CAS 64742-48-9)

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*	
Australia	Australian Inventory of Chemical Substances (AICS)	Yes	
Canada	Domestic Substances List (DSL)	Yes	
Canada	Non-Domestic Substances List (NDSL)	No	
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes	
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes	
Europe	European List of Notified Chemical Substances (ELINCS)	No	
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes	
Korea	Existing Chemicals List (ECL)	Yes	
New Zealand	New Zealand Inventory	Yes	
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes	
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes	
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes	

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s). A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	19-March-2020
Revision date	05-May-2023
Version #	04
HMIS® ratings	Health: 1 Flammability: 2 Physical hazard: 0



List of abbreviations	LD50: Lethal Dose 50%. EC50: Effective Concentration, 50%. LC50: Lethal Concentration, 50%. STEL: Short-Term Exposure Limit. TWA: Time Weighted Average Value. EL0: Effective level, 0%. IC50: Inhibitory concentration, 50%. LL0: Lethal level, 0%. NOELR: No Observed Effect Loading Rate
Disclaimer	The information in this Safety Data Sheet has been obtained from current and reliable sources. However, the data is provided without warranty, express or implied, regarding its correctness or accuracy. It is the user's responsibility to determine safe conditions for use of this product and to assume liability for loss injury, damage, or expense resulting from improper use of this product.